

VOLFENZON, L. G.

"The resistance of tissues of some hibernating and non-hibernating rodents to cooling and supercooling."

UNESCO - International Symposium on the Role of Cell Reactions in Adaptations of Metazoa to Environmental Temperature.

Leningrad, USSR, 31 May - 5 June 1963

VOL'FENSON, L.G.; STUDITSKIY, A.N., nauchnyy redaktor

[General histology] Obshchaya gistologiya. Nauch. red. A.N. Studitskiy.  
Moskva, 1955. 27 plates. (MIRA 9:7)  
(HISTOLOGY--ATLAS)

VOL'FENZON, L.G.

Paranecrotic effect of local anesthetics on cellular elements of  
various tissues. Zhur.ob.biol. 15 no.3:220-224 My-Je '54.  
(MLRA 7:6)

(ANESTHETICS, LOCAL, effects,  
\*on tissue of various organs in vitro)

VOL'FENZON, L.G.

Changes in the size of nuclei in mesothelial and mast cells due  
to the effect of novocaine. TSitologiya 1 no.6:641-648 N-D '59. (MIRA 13:4)

1. Laboratoriya kletochnykh adaptatsiy Instituta tsitologii AN  
SSSR, Leningrad.

(CELL NUCLEI)

(NOVOCAINE)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001860430003-6

SECRET

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001860430003-6"

KIKNADZE, G.G., inzh.; VOL'FENZON, M.M., inzh.

Pedestrian tunnel at Stantsiya Didube. Transp. stroi. 15 no.5:20-21  
My '65. (MIRA 18:7)

GOLUBEV, N.V.; VOL'FENKIN, M.N.

Development of the power plants of Soviet-built seagoing  
transport ships. Sudostroenie no. 11:31-34 N '65  
(MIRA 19:1)

VOL'FENZON, M.N., inzhener.

Diesel electric plant of the loose bulk load freighter, "Dneproges"  
and the refrigerator vessel "Aktiubinsk." Sudostroenie 23 no.4:11-18  
Ap '57. (MLRA 10:5)  
(Dneproges (ship)) (Aktiubinsk (ship))



VOL'PENZON, M.N., inzh.

Steam turbine plant on the tanker "Peking." Sudostroenie 26  
no.8:23-30 Ag '60. (MIRA 13:10)  
(Steam turbines) (Marine engineering)

AVAKYAN, A.S.; VOL'FENIG, D.B.

Review of power engineering in Switzerland. Energokhoz. za rub.  
no.1:1-2 Ja-F '57.

(RIP 12:11)

(Switzerland--Power engineering)

YAN 15 197, 1.2.

... power production in Spain. Energetika, za ruz. 1-2  
Jl-Ag '52. (MIA 12:11)  
(Spain--Electric power production)

VOL'FENION, L.G.

Effect of glycerol on the survival time of ciliated epithelium  
of the rat trachea during cooling and supercooling. Zh. biolog.  
5 no.3:326-328 My-Je '63. (MIR '63)

1. Laboratoriya kosmicheskoy biologii Instituta tsitologii AN  
SSSR, Leningrad.

L 36730-65 EPF(c). EPF(n)-2/ETR/WR(j). EPA s'-2/PA'h)/RWP(j). EWT/1)/EWT/m)

ACCESSION NR: AT500 893

8. 893.84/000/000 0047/0055

AUTHOR: Vol'f-Epshteyn, A. B.; Karavayev, G. N.; Krichko, A. N.; Medzhibovskiy, B. A.

TITLE: An organic heat-transfer agent for nuclear reactors based on the by-products of cumene production

SOURCE: Moscow, Institut atomnoy energii. Issledovaniya po primeneniyu organicheskikh teplopositeley-zamedlennoy energeticheskikh reaktorov (Research on the use of organic heat-transfer agents and moderators in nuclear reactors). Moscow, Atomizdat, 1984, 12-65

TOPIC TAGS: organic reactor coolant, <sup>19</sup> thermal reactor, radiation polymerization, <sup>9</sup> power reactor, infrared spectra, heat transfer agent, cumene production, polystyrene, polynuclear aromatic hydrocarbons, polynuclear aromatic hydrocarbons, polynuclear aromatic hydrocarbons, polynuclear aromatic hydrocarbons

ABSTRACT: The authors investigated the possibility of obtaining an organic heat-transfer agent whose radiolysis products were comparable to those of monoisopropylphenyl from the by-products of cumene polymerization. A chemical composition of the agent was determined. The agent was found to be chemically stable and its radiolysis products were comparable to those of monoisopropylphenyl.

Card 1/2

L 36730-45

ACCESSION NR: AT5007898

the resin are derivatives of biphenyl and biphenylalkanes. The boiling point of the resin was 310 - 365C for fractions obtained at 200 - 300C. Hydrogenation was carried out in the presence of an Al-Ni-Mo catalyst under a hydrogen pressure of 30 - 80 kg/cm<sup>2</sup> at 150 - 160C. The rate of hydrogenation and the yield of the product were measured within  $\pm 2\%$ ,  $\pm 0.5\%$ , and  $\pm 1\%$ , respectively. The decomposition rate of the heat-transfer agent under the action of the catalyst at different temperatures was examined in a temperature range of 150 - 200C. Each test lasted from 10 to 24 hrs. The authors conclude that the use of the catalyst in the hydrogenation of fluorene derivatives is possible. The transition from the liquid phase to the solid phase of biphenyl. The transition from the liquid phase to the solid phase of biphenyl. The activity of this coolant is no different from that of the other fluids investigated. Orig. art. has: 8 figures, 1 table and 1 formula.

ASSOCIATION: Institut atomnoy energii, Moscow (Institute of Atomic Energy)

SUBMITTED: 01Aug64

ENCL: 00

SUB CODE: NP, OC

NO REF SOV: 000

OTHER: 000

Card 2/2

16.3500

34761

S/140/62/000/001/002/011  
C111/C444

AUTHOR: Vol'fersdorf, L.

TITLE: On the singular elliptic Neumann problem for the Tricomi equation  
Dedicated to the memory of Professor F. J. Frankl'

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Matematika, no. 1, 1962, 14-19

TEXT: Considered is the problem N

$$\Psi_{xx} + \Psi_{yy} + \frac{1}{3y} \Psi_y = 0 \quad (2)$$

$$\Psi_n(t) = f(t) \text{ on } L \quad (3a)$$

$$\Psi_\eta(x) = v(x) \text{ on } \overline{AB} \quad (3b)$$

where A and B are the points -1 and +1 of the x-axis, (2) is obtained out of

$$\eta \Psi_{xx} + \Psi_{\eta\eta} = 0 \quad (1)$$

Card 1/4

On the singular elliptic Neumann ...

S/140/62/000/001/002/011  
C111/C444

by the substitution  $y = \frac{2}{3} \eta^{3/2}$ ,  $L$  connects the points  $A$  and  $B$  in the upper half plane  $xy$ ,  $L$  does not touch the  $x$ -axis in  $A$  and  $B$ .  $n$  indicates the inner normal, the inclination angle  $\theta$  of the tangent of  $L$  satisfies the Hölder condition and in the neighborhood of  $A$  and  $B$  the following conditions

$$|f(t)| \leq \text{const } v^{-\alpha}, \quad \alpha < \frac{4}{3} \quad (t = u + iv \in L) \quad (4a)$$

$$|v(x)| \leq \text{const } |x \pm 1|^{-\beta}, \quad \beta < 1 \quad (4b)$$

are satisfied. One puts  $\psi = \psi^I + \psi^{II}$ , and the problem  $N$  is reduced to the following two problems

$$\psi_{\eta}^I = v(x) \text{ on } AB \quad (\text{problem } N^I), \quad (7a)$$

$$\psi_{\eta}^{II} = 0 \text{ on } \overline{AB}, \quad \psi_n^{II} = f(t) - \psi_n^I(t) = g(t) \text{ on } L \quad (\text{problem } N^{II}) \quad (7b)$$

Card 2/4



On the singular elliptic Neumann ...

S/140/62/000/001/002/011  
C111/C444

The solution of the original problem N is then, except for an additive constant, given by the sum of

$$\Psi^I(z) = \alpha_3 \int_{-1}^1 v(\xi) |z - \xi|^{-1/3} d\xi \quad (10)$$

where

$$\alpha_3 = - \frac{\Gamma(1/6)}{2^{2/3} 3^{1/3} \pi^{1/2} \Gamma(2/3)}$$

and of

$$\Psi^{II}(z) = E \int_L v^{1/3} \mu(t) |z - \bar{t}|^{-1/3} F\left(\frac{1}{6}, \frac{1}{6}, \frac{1}{3}, z\right) ds \quad (11)$$

where  $E = -2^{-2/3} \frac{\Gamma^2(1/6)}{\pi \Gamma(1/3)}$ , and where the density  $\mu(t)$  inside of L

Card 3/4

On the singular elliptic Neumann . . . S/140/62/000/001/002/011  
C111/C444  
is real and continuous. For the existence of the solution it is  
necessary and sufficient that the condition

$$\int_L \eta^{1/2} f(t) ds + \int_{-1}^1 \nu(\xi) d\xi = 0 \quad (18)$$

be satisfied.

The author mentions Frankl'.

There are 2 Soviet-bloc and 5 non-Soviet-bloc references and one figure.

ASSOCIATION: Universitet g. Galle/Zaale, GDR (University of the town  
Halle/Saale, DDR)

SUBMITTED: April 10, 1961

Card 4/4

WILFERTS, A. A.

State Inst. Microbiol. & Epidemiol. of South East  
Seratov '34 '35

Epizootology of tularemia. I. Role of ectoparasites. Vest. Microbiol.,  
Epidemiol. & parasitol. 13:103-16. '34 & S. A. Kolpakova & A. A. Flegontova  
Skin test in tularemia according to Pirquet. Vest. Microbiol., Epidemiol.  
& Parasitol. 13:277-8. '34  
Tularemia. A review. 119 ref. Vest. Microbiol., Epidemiol. & Parasitol.  
14: 183-97. '35

VOL'FERTS, Galina Aleksandrovna

Anii-Genie Characteristics of Fungous Filtrates

Dissertation for candidate of a Medical Science degree. Chair of Cutaneous Diseases (head, Prof. A.F. Ukhin) Saratov Medical Institute, 1943

*VOLFERTS, G.A.*

USSR /Microbiology. Medical and Veterinary  
Microbiology.

F-6

Abs Jour: Referat. Zh.-Biol., No. 9, 1957, 35768

Author : Volferts, G.A.; Shvartsman, S.M.

Title : The Pathogenity and Virulence of Cultures of  
Yeast-like Fungi, Isolated in Mycosis of the  
Lower Extremities

Orig Pub: V sb.:Eksperim. i klinich. issledovaniia II, L,  
Medgiz, 1956, 133-134

Abstract: Yeast-like fungi, screened from mycosis of the  
lower extremities and usually viewed as saprophytes  
can under definite conditions be converted into  
pathogenic. Suspensions of cells of *Mycotoruloides*  
and *Geotrichoides*, isolated from people with easy  
scaling in the inter-toe fold in the so-called  
worn off forms of mycosis of the lower extremities,

Card 1/2

USSR /Microbiology. Medical and Veterinary  
Microbiology.

F-6

Abs Jour: Referat. Zh.-Biol., No. 9, 1957, 35768

were injected into guinea pigs, rabbits and mice. Infection was obtained only in the guinea pigs with an intradermal injection of the culture and according to the method of Pak or Blokh. Four to five passages through the organism of the guinea pigs strengthened the virulence of the cultures -- it caused the death of the animal from sepsis both in intravenous and intraperitoneal injections.

Card 2/2

1ST AND 2ND ENTRIES

PROCESSED AND PREPARED BY UNIT

EX

The establishment of the relationship between the organoleptic and the physicochemical and chemical indicators of ripe meat. 1. A. Smorodintsev, V. V. Vol'serts, N. N. Krylova, N. V. Nikolaeva, Yu. N. Lyaskovskaya and V. I. Pavonina. *Chim. Biokhem. Zhur.* 10, 81-104 (1937); in Ukrainian 105, in English 105-6 (1937).—The chemical and physicochem. indicators of meat kept at 1-3° undergo a sharp change at the 24th h., after which they change little during 5 days. Meat increases in tenderness during storage up to the 5th-10th day of ripening. Organoleptic appraisal of raw meat and the palatability of cooked meat indicate as optimal a three-day period of ripening at 1-3°. A degree of ripeness corresponding to this period is attained by keeping it at +36° for 12 hrs. and then 12 hrs. at 1-3°. After keeping at +36° for 24 hrs., a shift in the indicators in the direction of spoiling is observed. As tests of the ripeness of meat are suggested the following preliminary indicators (1)  $pH$  = 5.0-5.7, (2) elec. cond.  $25 \times 10^{-6}$ , (3) coeff. lactic acid: elec. cond. = 24, (4) coeff. elec. cond.: ammonia = 2.0. E. E. Stefanovsky

OPEN

MATERIALS INDEX

ASAC-55A METALLURGICAL LITERATURE CLASSIFICATION

130001 510133124

130003 510133124

130005 510133124

130007 510133124

130009 510133124

130011 510133124

130013 510133124

130015 510133124

130017 510133124

130019 510133124

130021 510133124

130023 510133124

130025 510133124

130027 510133124

130029 510133124

130031 510133124

130033 510133124

130035 510133124

130037 510133124

130039 510133124

130041 510133124

130043 510133124

130045 510133124

130047 510133124

130049 510133124

130051 510133124

130053 510133124

130055 510133124

130057 510133124

130059 510133124

130061 510133124

130063 510133124

130065 510133124

130067 510133124

130069 510133124

130071 510133124

130073 510133124

130075 510133124

130077 510133124

130079 510133124

130081 510133124

130083 510133124

130085 510133124

130087 510133124

130089 510133124

130091 510133124

130093 510133124

130095 510133124

130097 510133124

130099 510133124

130101 510133124

130103 510133124

130105 510133124

130107 510133124

130109 510133124

130111 510133124

130113 510133124

130115 510133124

130117 510133124

130119 510133124

130121 510133124

130123 510133124

130125 510133124

130127 510133124

130129 510133124

130131 510133124

130133 510133124

130135 510133124

130137 510133124

130139 510133124

130141 510133124

130143 510133124

130145 510133124

130147 510133124

130149 510133124

130151 510133124

130153 510133124

130155 510133124

130157 510133124

130159 510133124

130161 510133124

130163 510133124

130165 510133124

130167 510133124

130169 510133124

130171 510133124

130173 510133124

130175 510133124

130177 510133124

130179 510133124

130181 510133124

130183 510133124

130185 510133124

130187 510133124

130189 510133124

130191 510133124

130193 510133124

130195 510133124

130197 510133124

130199 510133124

130201 510133124

130203 510133124

130205 510133124

130207 510133124

130209 510133124

130211 510133124

130213 510133124

130215 510133124

130217 510133124

130219 510133124

130221 510133124

130223 510133124

130225 510133124

130227 510133124

130229 510133124

130231 510133124

130233 510133124

130235 510133124

130237 510133124

130239 510133124

130241 510133124

130243 510133124

130245 510133124

130247 510133124

130249 510133124

130251 510133124

130253 510133124

130255 510133124

130257 510133124

130259 510133124

130261 510133124

130263 510133124

130265 510133124

130267 510133124

130269 510133124

130271 510133124

130273 510133124

130275 510133124

130277 510133124

130279 510133124

130281 510133124

130283 510133124

130285 510133124

130287 510133124

130289 510133124

130291 510133124

130293 510133124

130295 510133124

130297 510133124

130299 510133124

130301 510133124

130303 510133124

130305 510133124

130307 510133124

130309 510133124

130311 510133124

130313 510133124

130315 510133124

130317 510133124

130319 510133124

130321 510133124

130323 510133124

130325 510133124

130327 510133124

130329 510133124

130331 510133124

130333 510133124

130335 510133124

130337 510133124

130339 510133124

130341 510133124

130343 510133124

130345 510133124

130347 510133124

130349 510133124

130351 510133124

130353 510133124

130355 510133124

130357 510133124

130359 510133124

130361 510133124

130363 510133124

130365 510133124

130367 510133124

130369 510133124

130371 510133124

130373 510133124

130375 510133124

130377 510133124

130379 510133124

130381 510133124

130383 510133124

130385 510133124

130387 510133124

130389 510133124

130391 510133124

130393 510133124

130395 510133124

130397 510133124

130399 510133124

130401 510133124

130403 510133124

130405 510133124

130407 510133124

130409 510133124

130411 510133124

130413 510133124

130415 510133124

130417 510133124

130419 510133124

130421 510133124

130423 510133124

130425 510133124

130427 510133124

130429 510133124

130431 510133124

130433 510133124

130435 510133124

130437 510133124

130439 510133124

130441 510133124

130443 510133124

130445 510133124

130447 510133124

130449 510133124

130451 510133124

130453 510133124

130455 510133124

130457 510133124

130459 510133124

130461 510133124

130463 510133124

130465 510133124

130467 510133124

130469 510133124

130471 510133124

130473 510133124

130475 510133124

130477 510133124

130479 510133124

130481 510133124

130483 510133124

130485 510133124

130487 510133124

130489 510133124

130491 510133124

130493 510133124

130495 510133124

130497 510133124

130499 510133124

130501 510133124

130503 510133124

130505 510133124

130507 510133124

130509 510133124

130511 510133124

130513 510133124

130515 510133124

130517 510133124

130519 510133124

130521 510133124

130523 510133124

130525 510133124

130527 510133124

130529 510133124

130531 510133124

130533 510133124

130535 510133124

130537 510133124

130539 510133124

130541 510133124

130543 510133124

130545 510133124

130547 510133124

130549 510133124

130551 510133124

130553 510133124

130555 510133124

130557 510133124

130559 510133124

130561 510133124

130563 510133124

130565 510133124

130567 510133124

130569 510133124

130571 510133124

130573 510133124

130575 510133124

130577 510133124

130579 510133124

130581 510133124

130583 510133124

130585 510133124

130587 510133124

130589 510133124

130591 510133124

130593 510133124

130595 510133124

130597 510133124

130599 510133124

130601 510133124

130603 510133124

130605 510133124

130607 510133124

130609 510133124

130611 510133124

130613 510133124

130615 510133124

130617 510133124

130619 510133124

130621 510133124

130623 510133124

130625 510133124

130627 510133124

130629 510133124

130631 510133124

130633 510133124

130635 510133124

130637 510133124

130639 510133124

130641 510133124

130643 510133124

130645 510133124

130647 510133124

130649 510133124

130651 510133124

130653 510133124

130655 510133124

130657 510133124

130659 510133124

130661 510133124

130663 510133124

130665 510133124

130667 510133124

130669 510133124

130671 510133124

130673 510133124

130675 510133124

130677 510133124

130679 510133124

130681 510133124

130683 510133124

130685 510133124

130687 510133124

130689 510133124

130691 510133124

130693 510133124

130695 510133124

130697 510133124

130699 510133124

130701 510133124

130703 510133124

130705 510133124

130707 510133124

130709 510133124

130711 510133124

130713 510133124

130715 510133124

130717 510133124

130719 510133124

130721 510133124

130723 510133124

130725 510133124

130727 510133124

130729 510133124

130731 510133124

130733 510133124

130735 510133124

130737 510133124

130739 510133124

130741 510133124

130743 510133124

130745 510133124

130747 510133124

130749 510133124

130751 510133124

130753 510133124

130755 510133124

130757 510133124

130759 510133124

130761 510133124

130763 510133124

130765 510133124

130767 510133124

130769 510133124

130771 510133124

130773 510133124

130775 510133124

130777 510133124

130779 510133124

130781 510133124

130783 510133124

130785 510133124

130787 510133124

130789 510133124

130791 510133124

130793 510133124

130795 510133124

130797 510133124

130799 510133124

130801 510133124

130803 510133124

130805 510133124

130807 510133124

130809 510133124

130811 510133124

130813 510133124

130815 510133124

130817 510133124

130819 510133124

130821 510133124

130823 510133124

130825 510133124

130827 510133124

130829 510133124

130831 510133124

130833 510133124

130835 510133124

130837 510133124

130839 510133124

130841 510133124

130843 510133124

130845 510133124

130847 510133124

130849 510133124

130851 510133124

130853 510133124

130855 510133124

130857 510133124

130859 510133124

130861 510133124

130863 510133124

130865 510133124

130867 510133124

130869 510133124

130871 510133124

130873 510133124

130875 510133124

130877 510133124

130879 510133124

130881 510133124

130883 510133124

130885 510133124

130887 510133124

130889 510133124

130891 510133124

130893 510133124

130895 510133124

130897 510133124

130899 510133124

130901 510133124

130903 510133124

130905 510133124

130907 510133124

130909 510133124

130911 510133124

130913 510133124

130915 510133124

130917 510133124

130919 510133124

130921 510133124

130923 510133124

130925 510133124

130927 510133124

130929 510133124

130931 510133124

130933 510133124

130935 510133124

130937 510133124

130939 510133124

130941 510133124

130943 510133124

130945 510133124

130947 510133124

130949 510133124

130951 510133124

130953 510133124

130955 510133124

130957 510133124

130959 510133124

130961 510133124

130963 510133124

130965 510133124

130967 510133124

130969 510133124

130971 510133124

130973 510133124

130975 510133124

130977 510133124

130979 510133124

130981 510133124

130983 510133124

130985 510133124

130987 510133124

130989 510133124

130991 510133124

130993 510133124

130995 510133124

130997 510133124

130999 510133124

131001 510133124

131003 510133124

131005 510133124

131007 510133124

131009 510133124

131011 510133124

131013 510133124

131015 510133124

131017 510133124

131019 510133124

131021 510133124

131023 510133124

131025 510133124

131027 510133124

131029 510133124

131031 510133124

131033 510133124

131035 510133124

131037 510133124

131039 510133124

131041 510133124

131043 510133124

131045 510133124

131047 510133124

131049 510133124

131051 510133124

131053 510133124

131055 510133124

131057 510133124

131059 510133124

131061 510133124

131063 510133124

131065 510133124

131067 510133124

131069 510133124

131071 5101

VOL'FERTS, V. Yu.

VOL'FERTS, V. Yu.: Veterinarysanitation Advice, Fifth revised edition

KORYAZHNOV, V. P.: Moscow, State Agricultural Press

1950, 387 pages with illustrations, 11 rubles, 90 kopeks, Bound, Copies --  
25,000. Textbook and teaching aid for higher agricultural educational  
institutions.

SO: , U-4724, Sept. 30, 1953, . (Veterinariya,  
No. 4, Apr. 1951, pp. 60-61, Moscow.)



ACCESSION NR: ARL021613

S/0269/64/000/002/0020/0020

SOURCE: RZh. Astronomiya, Abs. 2.51.162.

AUTHOR: Vol'feyl', L.

TITLE: An automatic instrument for photographing artificial earth satellites

CITED SOURCE: Ryul. st. optich. nablyudeniya iskusstv. sputnikov Zemli, spots. vy\* p., 1962, 51-54

TOPIC TAGS: artificial satellite, artificial earth satellite, photographic artificial satellite observation, artificial satellite observation station, satellite observation camera

TRANSLATION: An instrument for photographic observations of bright satellites has been constructed at the artificial earth satellite optical observation station at Gdansk-Oliwa. The instrument consists of three cameras with objectives having  $D:F = 1:4.5$ ;  $F = 13.5$  cm. The cameras are attached to a common parallactic mounting with a clock mechanism. There is an obturator controlled by a micromotor in

Card 1/2

ACCESSION NR: AR4021613

front of the objective of each camera. The cameras record the satellite trail on an arc of a trajectory up to  $160^{\circ}$ . The text is accompanied by a block diagram of the instrument and an electronic circuit which controls the operation of the camera. Operation of the instrument is described. (The article does not give results of testing of the instrument and does not evaluate the possible accuracy of determination of positions and transit times during the photographing of artificial earth satellites. Reviewer's note.) V. Novopashenny.

DATE ACQ: 09Mar64

SUB CODE: AS

ENCL: 00

Card 2/2

1. NAME: [illegible]

2. AKA: [illegible]

3. DATE: [illegible]

4. [illegible]

5. [illegible]

6. [illegible]

7. [illegible]

8. [illegible]

9. [illegible]

ASSOCIATION: none

SUBMITTED: [illegible]

W. [illegible]

Card 1.1

3,1230

39315

S/035/62/000/007/021/083  
A001/A101

AUTHOR: Vol'feyl', L.

TITLE: Approximate photographic observations of Earth's artificial satellites at Gdansk-Oliva (Poland)

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 7, 1962, 25, abstract 7A190 ("Byul. st. optich. nablyudeniya iskusstv. sputnikov Zemli", 1960, no. 11, 16 - 20)

TEXT: Photographic observations of Earth's artificial satellites are conducted by means of an astrograph with clock mechanism ( $D = 130$  mm;  $F = 500$  mm;  $1 : 4.5$ ; visual field  $8^{\circ} \times 11^{\circ}$ ) and two cameras ( $1 : 4.5$ ) with Zeiss Ikon-Dominor-Anastigmat and Contessa-Nettar-Anastigmat objectives. In both cases plates  $9 \times 12$  cm (Agfa-Astroplatten) are used. The method of photographing is conventional; Discontinuities in tracks of Earth's artificial satellites are made by means of a contact device - several short ones, one long and then again several short ones. Discontinuities are recorded on the chronograph. A simplified method is employed for processing; The plate with the satellite track

X

Card 1/2

Approximate photographic observations of...

S/035/62/000/007/021/083  
A001/A101

is projected, by means of a magnification device, on the corresponding region of the sky map from the A. A. Mikhaylov Stellar atlas, stars are superposed and coordinates of individual points of the satellite track are read off. The accuracy of coordinate determination is conditioned by the scale of the sky map.

M. Ilenko. ✓

[Abstracter's note: Complete translation]

Card 2/2

VOLFIK, ...

"Up-to-date results and future prospects for the development of the Geodetic and Cartographic Institute in Prague."

P. 30. Ustřední správa geodézie a kartografie, (Prague, Czechoslovakia)  
Vol. 4, no. 2, Feb. 1952

30: Monthly Index of East European Accessions (MEIA) 10, Vol. 7, No. 5, Mar 1952.

VOL'KEVICH, Ya.Ye., inzh.

Increasing the height of the steel towers of a 132 kv. electric line  
without interrupting its operation. Energokhoz. za rub. no. 4:47

Jl-Ag '60.

(Ohio--Electric lines--Overhead)

(MIRA 13:10)

VOL'FKOVICH, M.I., professor; SHUB, M.G., kandidat meditsinskikh nauk

Role of the upper respiratory tract in poliomyelitis diagnosis  
[with summary in English]. Vest.oto-rin. 19 no.2:40-43 Mr-Apr '57.

1. Iz kliniki bolezney ukha, gorla nosa Saratovskogo meditsinskogo  
instituta.

(RESPIRATORY TRACT, pathol.

changes, diag. value in polio. (Rus))

(POLIOMYELITIS, diag.

role of changes in upper resp. tract (Rus))



*VOL'FKOVICH, M.I.*

VOL'FKOVICH, M.I., professor

Diagnosis and therapy of otogenic abscesses of the brain and of the cerebellum [with summary in English]. Vest.oto-rin. 19 no.3:3-12  
My-Je '57. (MIRA 10:10)

1. Iz kliniki bolezney ukha, gorla i nosa Saratovskogo meditsinskogo instituta.

(BRAIN, abscess

otogenic of cerebrum & cerebellum, diag. & ther., review)

(OTITIS MEDIA, compl.

brain abscess, diag. & ther., review)

VOL'FKOVICH, M.I., prof. (Saratov)

Results of a discussion on the diagnosis and treatment of patients  
with otogenic abscesses of the brain and cerebellum. Vop.otorin.

21 no.6:53-61 N-D '59.

(MIRA 13:4)

(BRAIN ABSCESS)

(OTITIS MEDIA, complications)

VOL'FKOVICH, M.I., prof.

Occupational trauma of the larynx. Zhur. ush., nos. i gorl.bol.  
19 no.5:73-74 S-O '59, (MIRA 14:10)

1. Klinika bolezney ukha, gorla i nosa Saratovskogo meditsinskogo  
instituta.

(LARYNX—DISEASES)

(AGRICULTURAL WORKERS—DISEASES AND HYGIENE)

VOL'FKOVICH, M.I., prof.; USOL'TSEV, N.N., prof.; TIKHOMIROVA, G.I.,  
kand. med. nauk; LIKHACHEV, Andrey Gavrilovich, prof.,  
zasl. deyatel' nauki, red.; VOLKOV, V.A., red.; MOLOGIN, V.N.,  
red. GUDENINA, T.Ye., tekhn. red.

[Instructions for practical studies in otorhinolaryngology for  
medical institutes] Metodicheskie zapiski k prakticheskim za-  
natiyam po otorinolaringologii; dlia meditsinskikh institutov.  
Moskva, 1960. 73 n. (MIRA 15:3)

1. Moscow. Pervyy meditsinskiy institut.  
(OTORHINOLARYNGOLOGY—STUDY AND TEACHING)

SENKOV, F.V., kand.tekhn.nauk; KONOVALOVA, A.P., inzh.; KONONOVICH, Yu.V.,  
inzh.; YELISEYEVA, A.S., teknik; POLYAKOV, V.F., teknik; GROMOV,  
N.K., kand.tekhn.nauk, retsenzent; VOL'FKOVICH, M.Ye., retsenzent;  
CHABROV, I.M., red.

[Regulation of the daily allowance of heat supply to apartment  
houses and public buildings; scientific report] Rezhimy sutochno-  
go regulirovaniia otpuska tepla zhilym i obshchestvennym zdaniyam;  
nauchnoe soobshchenie. Pushkin, Akad.kommun.khoz.im.K.D.Pamfilova,  
1959. 73 p. (MIRA 13:5)

(Heating from central stations)

VOL'KOVICH, S.I.

In memory of Ivan Platonovich Losev. Zhur. prikl. khim. 37  
no.2:447-448 F '64. (MIRA 17:9)

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
<p><b>VOLFMAN, A-I</b></p> <p><b>Electric heating of glassmelt in the machine canal at the Proletarii Glassworks.</b> G. M. ANIKINAZI, A. D. VOLFMAN, AND L. V. CHEREVATENKO. <i>Steklo i Keram.</i>, 6 [9] 8-10 (1949).—Electric heating of the canal increases pickup and improves the quality of sheet glass. The determining factors of good electric heating are a proper system of feeding the current and correct amperage and voltage. At the Proletarii Glassworks both single- and three-phase supplies were used; for the latter, 3 single-phase transformers were joined. Current density was measured by a specially designed densimeter consisting of a rod and two other at a distance of 10 to 12 mm and connected by insulated and water cooled leads to a millivoltmeter. Measurements were made to a depth of 75 cm., near the left side, near the right side, and in the middle. A Pt-Pt-Rh couple was similarly immersed. Single-phase study was limited to machine No. 6, three-phase study included machines Nos. 5, 6, and 7. The most advantageous distribution of the electrodes is in the preheating chambers. For single-phase supply, the temperature gradient at a depth of 0.15 to 0.20 m. was 6° (<math>I = 180</math> amp) and 7° (<math>I = 140</math> amp), and the temperature at 0.75 m. was 921°C (<math>I = 180</math> amp) and 925° (<math>I = 140</math> amp). Without electric heating, the gradient near the surface was 25° and the temperature at 0.75 m. was 910°C. A completely isothermal melt was obtained at a depth of 0.30 to 0.35 m. Distribution of current density and phase supply, current distribution and temperatures in all three machines were not investigated. The melt was less isothermal than for the single phase current, but it was possible to equalize the temperature along the whole width of the canal. Thermal efficiency, combined with gas heating of the furnace, was only 70 to 72%.</p> <p>B. Z. N.</p>																			
<p><b>ASB.SLA METALLURGICAL LITERATURE CLASSIFICATION</b></p> <p>SECTION 1: 100000-109999</p> <p>SECTION 2: 110000-119999</p> <p>SECTION 3: 120000-129999</p> <p>SECTION 4: 130000-139999</p> <p>SECTION 5: 140000-149999</p> <p>SECTION 6: 150000-159999</p> <p>SECTION 7: 160000-169999</p> <p>SECTION 8: 170000-179999</p> <p>SECTION 9: 180000-189999</p> <p>SECTION 10: 190000-199999</p>																			

BOBROVSKIY, N.A., prof., red.; VOL'FKOVICH, M.I., prof., red.;  
VOL'FSON, Z.I., prof., red.; LIKHACHEV, A.G., prof., red.;  
NEVSKIY, B.N., red.; PREOBRAZHENSKIY, B.S., prof., red.;  
SAGALOVICH, B.M., doktor med. nauk, red.; SAKHAROV, P.P.,  
prof., red.; UNDRITS, V.F., prof., red. [deceased]

[Transactions of the First All-Russian Congress of  
Otorhinolaryngologists] Trudy pervogo Vserossiiskogo s"ezda  
otorinolaringologov. Moskva, Medgiz, 1963. 318 p.

- (MIRA 17:7)  
1. Vserossiyskiy s"yezd otorinolaringologov. 1st. Volgograd,  
1962. 2. Deystvitel'nyy chlen AMN SSSR (for Preobrazhenskiy).  
3. Chlen-korrespondent AMN SSSR (for Undr'ts). 4. Glavnyy  
otorinolaringolog Ministerstva zdravookhraneniya RSFSR (for  
Bobrovskiy).



VOL'FKOVICH, M. I., prof.

Dangerous toys. Zdorov'e 8 no.7:27 J1 '62.

(MIRA 15:7)

(TOYS)

VOL'KOVICH, M.I., professor.

Certain problems of training students and staff physicians in the field of otolaryngology. Vest.oto-rinl? no.4:15-19 J1-Ag 155.  
(MLRA 8:10)

1. Iz kliniki bolezney ikha, gorla i nosa imeni akad. N.P. Simanovskogo Saratovskogo gosudarstvennogo meditsinskogo instituta)

(OTORHINOLARYNGOLOGY, education,  
in Russia)

VOL'FKOVICH, M.I., prof. (Saratov)

Pathogenetic therapy in acute (common cold) catarrh of the  
upper respiratory tract. Vest.otorin. 23 no.1:3-11 Ja-F '61.  
(MIRA 14:2)

(COLD (PATHOLOGY)) (RESPIRATORY ORGANS--DISEASES)

VOL'FKOVICH, M.I., prof. (Saratov)

Some problems in the organization of emergency otorhinolaryn-  
gological aid. Vest.otorin. no.5:4-9 '62. (MIRA 15:9)  
(OTORHINOLARYGNOLOGY)  
(FIRST AID IN ILLNESS AND INJURY)

BOBROVSKIY, N.A., prof., red.; VOL'FKOVICH, M.I., prof., red.  
(Saratov); VOL'FSON, Z.I., prof., red.; NEVSKIY, B.N.,  
red.; PREOBRAZHENSKIY, B.S., prof., red.; SAGALOVICH,  
B.M., doktor med. nauk, red.; SAKHAROV, P.P., prof.,  
red.; UNDRITS, V.F., prof., red. [deceased]

[Transactions of the First All-Russian Congress of  
Otorhinolaryngologists] Trudy Vserossiyskogo s"yezda  
otorinolaringologov. Moskva, Medgiz, 1963. 518 p.  
(MIRA 18:3)

1. Vserossiyskiy s"yezd otorinolaringologov. 1st,  
Volgograd, 1962. 2. Deystvitel'nyy chlen AMN SSSR  
(for Preobrazhenskiy). 3. Chlen-korrespondent  
AMN SSSR (for Undrits).

ANTONOV, A.M., prof., red.; VOL'FKOVICH, M.P., prof., red.;  
ZAKHAROVA, G.N., dots., red.; IVANOV, N.R., dots., red.;  
IOFFE, I.L., prof., red.; FOY, A.M., prof., red.;  
SHAMARIN, P.I., prof., red.; SHERISHORINA, S.I., prof., red.

[Transactions of the First City Conference of Young Scientists, Medical Section] Trudy Pervoy gorodskoy konferentsii molodykh nauchnykh rabotnikov. Meditsinskaya sektsiya. Saratov, Saratovskii meditsinskii in-t, 1963. 295 p. (MIRA 18:5)

1. Gorodskaya konferentsiya molodykh nauchnykh rabotnikov. Meditsinskaya sektsiya. 1st, Saratov.

1ST AND 2ND ORDERS  
 PROCESSES AND PROPERTIES INDEX  
 3RD AND 4TH ORDERS

VOL. FROVICH, S. I.  
 BC

Hygroscopicity of ammonium nitrate and its mixtures. S. I. Vol'kovich and B. E. Ramus (Trans. Sci. Inst. Fertilizers, Moscow, 1927, No. 46, 5-52).—Ammonium nitrate does not absorb moisture at 69-84% humidity between  $-10^{\circ}$  and  $+20^{\circ}$ . The various crystalline modifications of ammonium nitrate differ in hygroscopicity, the most stable being the  $\gamma$ -modification. Admixture with sodium chloride or carnallite increases, and with potassium chloride, potassium dihydrogen phosphate, or ammonium sulphate decreases, the absorption of water. In mixtures of solid salt with soluble substances a reaction takes place; the hygroscopicity is at first additive, but later diminishes. Between  $18^{\circ}$  and  $140^{\circ}$  ammonia is not lost from mixtures of ammonium nitrate with calcium salts.

CHEMICAL ABSTRACTS.

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION  
 1940/1941  
 1940/1941  
 1940/1941

15

*ca*

Fertilizers. NAUCHNII INSTITUT PO UDOLZENIYAM IM. YA. V. SAMOYLOV V. S. N  
 KII. SSSR and I. VOLPROVICH. Russ. 58,272, Nov. 13, 1920.  $\text{CaCN}_2$  is decomposed  
 with  $\text{H}_2\text{PO}_4$  or by a mixt. of  $\text{H}_2\text{PO}_4$  with other inorg. acids in the presence of sulfates  
 or phosphates of  $\text{NH}_4$  or K.

117 AND 120 CODES PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

MATERIALS INDEX

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

FROM 17182198

120 AND 121 CODES

120 AND 121 CODES



1ST AND 2ND DEGREE		PROCESSES AND PROPERTIES INDEX	
<p><i>ca</i></p> <p>The production of ammonium phosphate. S. Yul'kovich. <i>Udobrenia i Urozhai</i> (Fertilizers and Yields) 1929, 30: 7. - The method of Bril'ke, et al. (C. A. 24, 1470) for the production of <math>\text{NH}_4</math> phosphate requires a 50% concn of <math>\text{P}_2\text{O}_5</math>. <math>\text{H}_3\text{PO}_4</math> concns of 10 to 18% <math>\text{P}_2\text{O}_5</math> can be used when the reactions are allowed to take place in 2 stages according to the equations: (1) <math>\text{H}_3\text{PO}_4, \text{aq.} + \text{NH}_3 = \text{NH}_4\text{H}_2\text{PO}_4 + \text{aq.}</math>; (2) <math>\text{NH}_4\text{H}_2\text{PO}_4, \text{aq.} + 2\text{NH}_3 = (\text{NH}_4)_3\text{PO}_4 + \text{aq.}</math> By regulating the dose of <math>\text{NH}_3</math> in the first stage most of the sesquioxides are pptd. and the phosphates from the second stage are technically pure. The first stage, when brought to the reaction of methyl red, leaves behind all of the sesquioxides. The <math>(\text{NH}_4)\text{H}_2\text{PO}_4</math>, because of its instability, is (1) treated with a stream of hot air and the <math>\text{NH}_3</math> liberated is caught and utilized, (2) is mixed with the products of the first stage, (3) is mixed with the original <math>\text{H}_3\text{PO}_4</math> soln. in the proportion to obtain <math>\text{NH}_4\text{H}_2\text{PO}_4</math> and <math>(\text{NH}_4)_3\text{HPO}_4</math>, or (4) is mixed with <math>\text{H}_2\text{SO}_4</math>.</p> <p>J. S. Jorru</p>			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			

15a

CA

VOLFROVICH, S.-I. Current problems in the technology of fertilizers. R. V. BRITERE AND S. I. VOLFROVICH. *Udobrenia i Urozhai* (Fertilizers and Crops) 1929, 259-67.—A review of the processes to obtain sol. phosphates is presented. A discussion of each one and the reactions involved are given. The following are reviewed: (1) extr. of phosphoric acid with  $H_2SO_4$ , the production of triple phosphate, enriched superphosphate and  $NH_4$  phosphate; (2) the use of phosphoric acid and the problem of obtaining high per cent phosphates.

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

18

VOL' PROVOICH, S. I.

Results of the investigation of a new acid cycle for reworking of phosphorites.  
S. I. VOLPROVICH AND V. P. KAMFOLKIN. *Ukrainskii Khim. Zhur.* 4, Tech. pt. 101-7  
(1929). The lab. methods developed for the cyclic reworking of phosphorites (I) by  
the acid process (C. A. 22, 4200) were applied on a semi-com. scale to the lowest grades  
of I with satisfactory results.

CHAS. BLANC

ABB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND GROUPS																										PROCESSES AND PROPERTIES IN IT																									
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50																																																			
VOL'KOVICH, S.I.																																																			
<p>The extraction of phosphoric acid from low-grade phosphorites with a mixture of sulfuric acid and ammonium sulfate. S. I. VOL'KOVICH AND L. R. BERLIN. <i>Mineral'nos Sibir'sk i Tretsnie Met.</i> 4, 396-407(1920).—The most effective mixt. contains 16.6-22.2% <math>(\text{NH}_4)_2\text{SO}_4</math>. Amts. above 22.2% decrease the efficiency of extn. With the above mixt. the rate of extn. is the same as when <math>\text{H}_2\text{SO}_4</math> alone is used. The amt. of lower oxides in extn. is considerably decreased by the presence of <math>(\text{NH}_4)_2\text{SO}_4</math>. By in-</p>																																																			
<p>creasing the time of extn. all lower oxides can be eliminated from the exts. Addn. of <math>(\text{NH}_4)_2\text{SO}_4</math> to <math>\text{H}_2\text{SO}_4</math> speeds up filtration of the above exts. The <math>(\text{NH}_4)_2\text{SO}_4</math> used may be obtained by treating vacuum-phosphorites with <math>\text{NH}_3</math> and <math>\text{CO}_2</math>. M. A. J.</p>																																																			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			
<p>1ST AND 2ND GROUPS</p>																																																			

18

*ca*

**PROCESSES AND PROPERTIES INDEX**

**Oxidation of ammonium sulfite and preparation of ammonium sulfate from gaseous sulfur dioxide, ammonia and water vapor.** S. L. VOL'FROVICH AND D. L. TZIRLIN. *J. Chem. Ind. (Russia)* 6, 1323-32, 1403-9(1929).—A review of patents and literature and calcn. of equil. consta. at various temps for the formation of  $(\text{NH}_4)_2\text{SO}_4$  from solid  $(\text{NH}_4)_2\text{SO}_4$  and the gaseous components are given. Oxidation of  $(\text{NH}_4)_2\text{SO}_4$  in aq. soln. by passing air through it was studied under the influence of concn., rate and velocity of air passing through, surface area of contact, catalysts, etc. Complete oxidation of the salt by air can be accomplished in towers filled with silica gel or with quartzite. Another method of prepn. is by double decompn. with  $\text{CaSO}_4$ , which can be regenerated by oxidation with air. Still another method is spraying the soln. into air. The optimum temp. for the above oxidation is  $70^\circ$ . The catalytic action of  $\text{KMnO}_4$ ,  $\text{Cr}_2\text{O}_3$ ,  $\text{V}_2\text{O}_5$ ,  $\text{Se}$ ,  $\text{CuSO}_4$ ,  $\text{KNO}_3$  and  $\text{KCl}$  was too small for practical purposes. Oxidation of solid  $(\text{NH}_4)_2\text{SO}_4$  by exposure to air under various conditions was very slow. The limit (30-5%) of this reaction was reached in 2-3 hrs. at  $60-70^\circ$ . Expts. on the production of the sulfite and sulfate in the solid form by the interaction of gaseous  $\text{NH}_3$ ,  $\text{SO}_2$ , air and  $\text{H}_2\text{O}$  vapor showed com. possibility, and indicated a successful application of the Cottrell precipitator. The product prepd. by the dry method in a Cottrell app. is more difficult to oxidize than that obtained by the wet method. It is proposed to treat the product from the Cottrell app. with air at  $22^\circ$ , causing the sulfate to ppt. and the sulfite to decompose to  $\text{NH}_3$  and  $\text{SO}_2$ , in which form they can be recirculated through the app. until they come down as  $(\text{NH}_4)_2\text{SO}_4$ . A. C. ZACHLIN

**ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION**

CA  
VOL'F KOVICH, S. I.

Obtaining ammonium sulfate from phospho-gypsum. S. I. VOL'KOVICH, V. P. KAMZOLIN AND A. ROMANOVICH. *Trans. Sci. Inst. Fertilizers* (Moscow), No. 64, 111 (in German) (2 4)(1920). Decompos. of phospho-gypsum by  $\text{NH}_3$  and  $\text{CO}_2$  above that the gypsum was obtained from a low-grade phosphate rock contg.  $\text{P}_2\text{O}_5$  31,  $\text{Al}_2\text{O}_3$  10,  $\text{CO}_2$  32,  $\text{CaF}_2$  1.5%. By treating the gypsum with  $\text{NH}_3$  and  $\text{CO}_2$  it was possible to regenerate 92-97% of the  $\text{H}_2\text{SO}_4$  in the gypsum. The  $(\text{NH}_4)_2\text{SO}_4$  obtained was a 30% soln. Natural gypsum does not decompose as fast as that obtained in acid phosphate manuf. The highest sulfate recovery was obtained by using 5-10%  $\text{NH}_3$  and  $\text{CO}_2$  above the stoichiometric requirements. By using 100%  $\text{CO}_2$  and  $\text{NH}_3$ , the time to complete the reaction was 2 hrs. The use of 30%  $\text{CO}_2$  slowed down the process, taking twice as long. Liquid  $\text{NH}_3$  was more effective than gaseous. The decompos. took place without artificial cooling. The temp. of decompos. was 40-55°. Lowering the temp. to 35° lowered the output of  $(\text{NH}_4)_2\text{SO}_4$ . The lime residue retains up to 1.5%  $\text{NH}_3$ . The wash waters from the lime residue may contain 0.5 to 1%  $\text{NH}_3$ , either free or as  $(\text{NH}_4)_2\text{CO}_3$ , 0.2%  $\text{CaO}$  and traces of  $\text{Fe}$  and  $\text{Al}$ . The addn. of  $\text{NaCl}$  or  $\text{KCl}$  in the process did not aid in better utilization of  $\text{NH}_3$ . The process is carried out at atm. pressure in a closed system with const. stirring. The wash water from the lime residue could be used for mixing a new batch of phospho-gypsum, to which more  $\text{NH}_3$  and  $\text{CO}_2$  are added. Graphs show the temp. changes during the process, the variations in yield due to changes in temp., and changes in adding the various components. A drawing of a lab. outfit is given. J. S. Jovan

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
<p><b>VOLEKOVICH</b></p> <p><i>CH</i></p> <p><b>PROCESSES AND PROPERTIES INDEX</b></p> <p>Semi-commercial scale of working over phosphates by acidulation into concentrated fertilizers. <b>B. I. VOLEKOVICH</b> AND <b>V. P. KAMOLIN</b> in collaboration with <b>L. E. BERLIN</b>, <b>L. V. VLADIMIROV</b>, <b>S. K. VOSKRESENSKI</b>, <b>L. B. GRINSHPAN</b>, <b>A. A. IONASH</b>, <b>V. G. KALDAROLLA</b>, <b>I. I. KUKURSKIN</b>, <b>B. A. LEBEDOV</b>, <b>T. I. PAUTKINA</b> AND <b>A. A. SOKOLOVSKII</b>. <i>Trans. Sci. Inst. Fertilizers</i> (Moscow) No. 67, 8-134 (in German 135-43) (1929); cf. C. A. 24, 2246.—Tests were made on a factory scale to find out the proper concentration of <math>H_2SO_4</math> to mix with rock phosphate of a low <math>P_2O_5</math> content, the degree of fineness the rock phosphate has to be ground, the temperature of reaction and the time of stirring; besides that, the improvement in the apparatus and methods of handling the production were investigated. The phosphoric acid and acid phosphate produced were treated with <math>NH_3</math> in order to produce ammonium phosphate. The proportions of the various components for the best results, temperature conditions for the crystallization of the salts, methods of filtering and of drying, apparatus used and a number of questions pertaining to factory production also were studied. The results are presented for a series of phosphates from various deposits. The question of making precipitated calcium phosphate has also been subjected to factory trials, and again the various problems connected with the reactions involved are presented and discussed. Tests were also made on the production of P-enriched acid phosphate products. The various topics are summarized in German and presented at the end of the publication.</p> <p><b>J. S. JORVM</b></p>																			
<p><b>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</b></p> <p>FROM SYMBOLIC</p> <p>FROM SYMBOLIC</p>																			

1ST AND 2ND ORDERS										13D AND 4TH ORDERS									
PROCEDURES AND PROPERTIES INDEX																			
<div style="display: flex; justify-content: space-between;"> <span>CA</span> <span>15</span> </div> <div style="border: 1px solid black; padding: 10px; margin: 10px;"> <p><b>SOL'FKOVICH, S.-I.</b></p> <p>Phosphate fertilizers. S. I. Vol'kovich, Rum. 13,247, Mar. 81, 1930. Phosphates acid. with HCl and the soln. treated with <math>(NH_4)_2SO_4</math> and (or) <math>K_2SO_4</math> and <math>NH_4OH</math>.</p> </div>																			
<div style="display: flex; justify-content: space-between;"> <span>COMMON ELEMENTS</span> <span>OPEN</span> </div>										<div style="display: flex; justify-content: space-between;"> <span>COMMON ELEMENTS</span> <span>OPEN</span> </div>									
<div style="display: flex; justify-content: space-between;"> <span>13DNI 13VIBR13V</span> <span>13DNI 13VIBR13V</span> </div>										<div style="display: flex; justify-content: space-between;"> <span>13DNI 13VIBR13V</span> <span>13DNI 13VIBR13V</span> </div>									
<div style="display: flex; justify-content: space-between;"> <span>13DNI 13VIBR13V</span> <span>13DNI 13VIBR13V</span> </div>										<div style="display: flex; justify-content: space-between;"> <span>13DNI 13VIBR13V</span> <span>13DNI 13VIBR13V</span> </div>									



<p>16</p> <p>CA</p> <p>VOL'FKOVICH, S.I.</p> <p>Fertilizers. NAUCHNUI INSTITUT PO UDOSHRNENIYAM IM. PROF. SAMOILOVA AND S. I. VOL'FKOVICH, L. E. BERLIN and A. A. IONAS. Russ. 20,310, Oct. 30, 1930. Fertilizers are prepd. by extg. nephelite-apatite ore with <math>H_2SO_4</math> directly or after treatment with <math>NH_4</math> or <math>NH_3</math> or K salt and drying at 100 to 150°.</p>																									
<p>ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION</p>																									

1ST AND 2ND DEGREE										3RD AND 4TH DEGREE									
COMMON ELEMENTS																			
<p><b>VOLFKOVICH, S. I.</b></p> <p><i>co</i></p> <p><b>186 production of superphosphate from Khibinsk apatite. S. I. VOLFKOVICH, L. K. BERLIN AND L. B. GRIMPAN. <i>Udobrenia i Urozhai (Fertilizers and Crops)</i> 2, 300-12 (1930); cf. C. A. 25, 763. — Enriched apatite obtained from nepheline apatite rock by fine grinding and sieving or flotation is used on a semifactory scale for the production of acid phosphate. The quantity of <math>H_2SO_4</math> to be used was based on the following equation: <math>2Ca_3P(PO_4)_2 + 7H_2SO_4 + 17H_2O = 3CaH_2(PO_4)_2 + 7CaSO_4 + 21H_2O + 21H^+</math>. It was found that by using 88% of the rock milled to less than 0.1 mm, a 40% <math>P_2O_5</math> raw product was converted to acid phosphate of a good phys. condition with 18% <math>P_2O_5</math>. With 83% milled to less than 0.1 mm, the raw product contained 38.9% <math>P_2O_5</math> and the final acid phosphate 16.2% <math>P_2O_5</math>. When the quantity of particles less than 0.1 mm, fell below 28-34% <math>P_2O_5</math> the phys. condition of the final product was poor. It was found possible to mix the high grade nepheline apatite with the Vyatka raw phosphate low in <math>P_2O_5</math> (24.5% <math>P_2O_5</math>), half and half, and still obtain a good product. J. S. Joffs</b></p>																			
<p>ASH-56A METALLURGICAL LITERATURE CLASSIFICATION</p>																			
SECOND DEGREE ONLY										THIRD DEGREE ONLY									

1ST AND 2ND COLUMNS		PROCESSES AND PROPERTIES INDEX		101 AND 102 COLUMNS	
<p><i>ca</i></p> <p>The production of potassium sulfate from potassium chloride and sulfur dioxide. H. BRITKE, S. VOLPKOVICH AND M. KAMENSKAYA. <i>Udobrenia i Urozhai (Fertilizers and Crops)</i> 2, 492-5(1930).—Expts. with a no. of catalytic agents to speed up the reaction between KCl and SO<sub>2</sub> in the presence of water vapor were made. At 500°, without a catalyst, only 4.5% of the KCl decompd. in 30 hrs. CoSO<sub>4</sub>, Co(NO<sub>3</sub>)<sub>2</sub>, Fe<sub>2</sub>O<sub>3</sub>, Fe(OH)<sub>3</sub>, Al<sub>2</sub>O<sub>3</sub>, CuO, burned pyrites and a series of slags contg. oxides of Fe, Si, Ca and Na were tried. These were prep'd. in the lab. or taken from ems. plants. Max. effects were obtained from the slags contg. oxides of Fe, Al, Si and Na. The slag was ground to pass a sieve with 4900 holes per sq. cm., and 0.5% of the slag was added to the mix, which was ground to particles of 0.2-0.4 mm. diam. The yield of sulfate reached 98.2-99.8% in one hr. With 0.1% Fe<sub>2</sub>O<sub>3</sub> or 0.01% Fe(OH)<sub>3</sub> (of the wt. of KCl) the yield was 74-83% in 3.75 hrs. Burned pyrites gave a yield of 70% in 2 hrs. when 1% was used. With 0.5% CuO the yield reached 44% in 30 min. Various other slags were tried out, but without much improvement. I. N. JORVA</p>					
<p>ASB-SEA OFFICIAL LITERATURE CLASSIFICATION</p>					

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																																																																									
1																										2																																																																									
3																										4																																																																									
5																										6																																																																									
7																										8																																																																									
9																										10																																																																									
11																										12																																																																									
13																										14																																																																									
15																										16																																																																									
17																										18																																																																									
19																										20																																																																									
21																										22																																																																									
23																										24																																																																									
25																										26																																																																									
27																										28																																																																									
29																										30																																																																									
31																										32																																																																									
33																										34																																																																									
35																										36																																																																									
37																										38																																																																									
39																										40																																																																									
41																										42																																																																									
43																										44																																																																									
45																										46																																																																									
47																										48																																																																									
49																										50																																																																									
51																										52																																																																									
53																										54																																																																									
55																										56																																																																									
57																										58																																																																									
59																										60																																																																									
61																										62																																																																									
63																										64																																																																									
65																										66																																																																									
67																										68																																																																									
69																										70																																																																									
71																										72																																																																									
73																										74																																																																									
75																										76																																																																									
77																										78																																																																									
79																										80																																																																									
81																										82																																																																									
83																										84																																																																									
85																										86																																																																									
87																										88																																																																									
89																										90																																																																									
91																										92																																																																									
93																										94																																																																									
95																										96																																																																									
97																										98																																																																									
99																										100																																																																									
<p><b>VOL'KOVICH, S. I.</b></p> <p><b>Superphosphate enriched with ammonia.</b> S. I. VOLKOVICH, I. B. BERLIN, I. L. HOFMAN AND A. A. IONAS. <i>Udobrenia i Urozhai (Fertilizers and Crops)</i> 2, 558-59 (1930).—Two kinds of raw phosphate were tried out in the prepn. of ammoniated superphosphate by the use of <math>H_2SO_4</math> and the phosphates of ammonia. From Portland phosphate with mono-ammonium phosphate and <math>H_2SO_4</math>, a product was obtained contg. 21% <math>P_2O_5</math>, with 16.5% available, and 10% N. The amt. of <math>H_2SO_4</math> used was 15% above that required by the stoichiometric equations, and its strength was diluted to 40% by the use of a 20% soln. of <math>NH_4H_2PO_4</math>. When a mixt. of mono- and di-ammonium phosphates was used, the product contained 23% <math>P_2O_5</math>, with 18% available, and 3% N. The <math>H_2SO_4</math> was also 18% above the stoichiometric and was diluted to 35% with 20% <math>NH_4H_2PO_4</math>. With <math>(NH_4)_2HPO_4</math> alone the product contained 23% <math>P_2O_5</math>, with 19% available, and 5% N. The <math>H_2SO_4</math> was 10% above stoichiometric, and it was diluted to 25% with a 20% soln. <math>(NH_4)_2HPO_4</math>. For the Saratov phosphates triammonium phosphate (in liquid form) with <math>H_2SO_4</math> was used, and the product obtained was 22-23% <math>P_2O_5</math>, with 20.5% available, and 10% N. The optimum conditions were: 100 parts (by weight) of phosphate for 80 parts of <math>(NH_4)_2HPO_4</math>; for each unit weight of <math>(NH_4)_2HPO_4</math>, 0.5 part of 60 Bé. <math>H_2SO_4</math> was used besides what is necessary to convert the raw phosphate into superphosphate. By using a satd. soln. of <math>(NH_4)_2HPO_4</math>, the product contained 18% <math>P_2O_5</math>, with 17% available, and 5% N. The reagents used, were: 100 parts of phosphate, 100 parts of the satd. soln. with 0.74 part of 60 Bé. <math>H_2SO_4</math> for each part of <math>(NH_4)_2HPO_4</math>, besides what is necessary for the production of ordinary superphosphate. The best product from the standpoint of phys. conditions was obtained by the use of the mixt. of mono- and di ammonium phosphate. Production on a semi-factory scale is under way with the mixts. mentioned.</p> <p style="text-align: right;">J. S. JOWEN</p>																																																																																																			
<p>ASA-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																																																																			
<p>10000 11000 12000 13000 14000 15000 16000 17000 18000 19000 20000 21000 22000 23000 24000 25000 26000 27000 28000 29000 30000 31000 32000 33000 34000 35000 36000 37000 38000 39000 40000 41000 42000 43000 44000 45000 46000 47000 48000 49000 50000 51000 52000 53000 54000 55000 56000 57000 58000 59000 60000 61000 62000 63000 64000 65000 66000 67000 68000 69000 70000 71000 72000 73000 74000 75000 76000 77000 78000 79000 80000 81000 82000 83000 84000 85000 86000 87000 88000 89000 90000 91000 92000 93000 94000 95000 96000 97000 98000 99000</p>																																																																																																			

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
<p><b>VOL' FRODOVICH</b></p> <p><i>CO</i></p>										<p><b>PROCESSES AND PROPERTIES INDEX</b></p> <p><i>15</i></p>									
<p><b>Experiments on the production of thermophosphates from the Khibinsk apatite.</b>  <b>S. I. VOL'KOVICH AND S. S. PERELMAN. <i>Udoleenie i Urozhai (Fertilizers and Crops) 2, 870-80 (1969).</i></b> By a wet method a product was obtained from the Khibinsk apatite with a 40.5% <math>P_2O_5</math> content. This and 2 other samples contg. 27.12 and 19.47% <math>P_2O_5</math> were fused with <math>Na_2CO_3</math>. By using 30.3 parts of the 40.5% <math>P_2O_5</math> sample for 100 parts of the phosphate at 900-1200° a product was obtained with a 70% coeff. of decompn., the latter representing the ratio of citrate-sol. <math>P_2O_5</math> to the total. With a 25% excess of <math>Na_2CO_3</math>, the coeff. increases irrespective of the temp. from 900° to 1200°. With a 50% increase the proportionality between the <math>Na_2CO_3</math> and increase in <math>P_2O_5</math> disappears. At 1100° the coeff. drops from 76.3 to 60.7% and then again increases at 1200° to 82.6%. At 1300° the mixt. fuses, but there is no increase in <math>P_2O_5</math>. The optimum conditions were found to be at 1200° with 1.5 times the amt. of soda used originally, i. e., 45 parts of <math>Na_2CO_3</math> to 100 parts of apatite. With the 27.1% <math>P_2O_5</math> sample at 1000-1200° with 20 parts of <math>Na_2CO_3</math> to 100 parts of phosphate the coeff. of decompn. was 70-80%. A 25% increase of <math>Na_2CO_3</math> increased the coeff. of decompn. almost to 100%. Even at 900° such a mixt. gave an 82.2% coeff. With the 19.5% <math>P_2O_5</math> sample at 1200° with 22 parts of <math>Na_2CO_3</math> to 100 parts of the phosphate almost 100% of the phosphate became citrate sol. Addns. of 10% <math>SiO_2</math> to the mixt. slightly increased the coeff. of decompn. <math>SiO_2</math> alone had no effect. An increase of the <math>SiO_2</math> to 20% produced neg. results. Addns. of <math>CaCO_3</math> alone had no effect, but with the <math>Na_2CO_3</math> an increase in the coeff. took place. The time factor of heating the mixt. brought out the fact that 30 min. gives the optimum. The cooling of the mix immediately after 30 min. heating increased the soly. of the product. Heating with various chlorides gave neg. results. With <math>Na_2SO_4</math> and charcoal a product was obtained with a coeff. of 80%. Vegetation expts. with thermophosphates show that it is just as good as Thomas slag, but it is slightly inferior to superphosphate.</p> <p style="text-align: right;">J. S. Jorva</p>																			
<p><b>ABB-SLA METALLURGICAL LITERATURE CLASSIFICATION</b></p>																			
<p><b>FROM SYNONYM</b></p>										<p><b>FROM SYNONYM</b></p>									
<p><b>SYNONYM</b></p>										<p><b>SYNONYM</b></p>									

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																																																																																																																																																																																					
COMMON ELEMENTS																										COMMON RARE-EARTH METALS																																																																																																																																																																																					
<p><b>VOLEKOVICH, S. I.</b></p> <p><i>ca</i></p> <p>Decomposition of phosphorite with hydrochloric acid and with mixtures of hydrochloric acid, sulfuric acid and ammonium chloride. S. I. VOLEKOVICH AND S. H. PARRILMAN. <i>Mineralog. Sbornik</i> 8, 870-80 (1930); <i>Chem. Zvesti.</i> 1930, 11, 110; <i>U.S. G. A.</i> 23, 2607. --Wyatka phosphorite, contg. 30.7% <math>P_2O_5</math>, 0.1% <math>CO_2</math>, 4.6% <math>(Al, Fe)_2O_3</math> yielded HCl exts. with 8-9% <math>P_2O_5</math>. 2.04 parts 20.6% HCl decompose 95-96% of the mineral. The optimal HCl concn. is 20%. The exts. contain 0.5-0.8% sesquioxides which were extd. up to 21-40% from the mineral. A mixt. of HCl and <math>H_2SO_4</math> acts with the same good result. Addn. of <math>NH_4Cl</math> decreases the rate of decompn. ALFRED HUNGER</p>																																																																																																																																																																																																															
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																																																																																																																																																																															
<table border="1"> <thead> <tr> <th colspan="13">1ST ORDER</th> <th colspan="13">2ND ORDER</th> <th colspan="13">3RD ORDER</th> <th colspan="13">4TH ORDER</th> </tr> <tr> <th colspan="13">GROUP</th> <th colspan="13">SUBGROUP</th> <th colspan="13">SUBSUBGROUP</th> <th colspan="13">SUBSUBSUBGROUP</th> </tr> </thead> <tbody> <tr> <td colspan="13"></td> <td colspan="13"></td> <td colspan="13"></td> <td colspan="13"></td> </tr> </tbody> </table>																																																				1ST ORDER													2ND ORDER													3RD ORDER													4TH ORDER													GROUP													SUBGROUP													SUBSUBGROUP													SUBSUBSUBGROUP																																																																
1ST ORDER													2ND ORDER													3RD ORDER													4TH ORDER																																																																																																																																																																								
GROUP													SUBGROUP													SUBSUBGROUP													SUBSUBSUBGROUP																																																																																																																																																																								

1ST AND 2ND ORDERS		3RD AND 4TH ORDERS	
VOL'KOVICH, S. I.		12	
<p>Semiplant-scale experiments on acid conversion of phosphorite to concentrated fertilizers. S. I. VOLKOVICH AND A. A. SOKOLOVSKII. <i>J. Chem. Ind. (Moscow)</i> 7, 34-44 (1930); <i>Chem. Zvesti.</i> 1930, 11, 606. --Rate of <math>H_2PO_4</math> from phosphorites, prepn. of Ca "diphosphate," <math>NH_4</math> phosphate from phosphorite, etc., were carried out on a semiplant scale.</p> <p>ALFRED HUNTER</p>			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			
GROUP DIVISION		SUBDIVISION	
1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
41	42	43	44
45	46	47	48
49	50	51	52
53	54	55	56
57	58	59	60
61	62	63	64
65	66	67	68
69	70	71	72
73	74	75	76
77	78	79	80
81	82	83	84
85	86	87	88
89	90	91	92
93	94	95	96
97	98	99	100

COMMON ELEMENTS										PROCESSING AND PROPERTIES INDEX										1ST AND 2ND LISTS										3RD AND 4TH LISTS									
VOL'KOVICH, S. I.																																							
15																																							
Experiments on the manufacture of superphosphate from Khibinsk apatite. S. I. VOL'KOVICH AND L. K. BRALIN. <i>J. Chem. Ind. (Moscow)</i> 7, 86-106(1930); cf. C. A. 25, 7051, 1930.																																							
J. S. JORRE																																							
ASH-51A METALLURGICAL LITERATURE CLASSIFICATION																																							
1ST AND 2ND LISTS										3RD AND 4TH LISTS										1ST AND 2ND LISTS										3RD AND 4TH LISTS									



1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
COMMON ELEMENTS																										COMMON VARIANTS																									
<p><b>Vol. F KOVICH, S.I.</b></p> <p><b>PROCESSES AND PROPERTIES INDEX</b></p> <p>Production of potash-nitrogen fertilizers from carnallite. (Preliminary communication). S. I. KOVICH, R. R. KUMEN AND M. S. NIKITICH. J. Chem. Ind. (Moscow) 7, 246-30 (1930); Chem. Zentr. 1930, II, 446-7. By treating a <math>MgCl_2 \cdot KCl</math> soln. of the compn. of natural carnallite with 3.5% <math>NH_3</math> (in the liquid phase) at 60-80° (65.5% <math>Mg</math> was expd. <math>NH_3 + CO_2</math> ppt. 96% <math>Mg</math>). The best results are obtained by satg. the soln. with a 1.5 excess of <math>NH_3</math> first and then with less than the required amt. of <math>CO_2</math>. The filtrates contain 33.3% <math>K_2O</math> and 17% <math>NH_3</math>. They can be used as K-N fertilizers. Practically the same sepn. was attained with natural Sordikamak carnallite.</p> <p style="text-align: right;">A. BURGER</p>																																																			
<p><b>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</b></p>																																																			
<p><b>1ST AND 2ND ORDERS</b>      <b>3RD AND 4TH ORDERS</b></p>																																																			

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
<p><b>Vol. FKOVICH, S.I.</b></p> <p><b>PROCESSES AND PROPERTIES INDEX</b></p> <p><b>Fertilizer. S. I. VOLKOVICH. Russ. 23,418, Oct. 31, 1931. In decomposing carnallite with <math>\text{CO}_2</math> and <math>\text{NH}_3</math> to sep. Mg with the ppt., the salt solns. obtained are treated with <math>\text{H}_2\text{SO}_4</math>, <math>\text{H}_3\text{PO}_4</math>, or <math>\text{HNO}_3</math>, while the <math>\text{HCl}</math> obtained (in case <math>\text{HNO}_3</math> is used this refers also to <math>\text{Cl}</math> and nitrosyl chloride) is used for the extn. of <math>\text{H}_3\text{PO}_4</math> from phosphorites.</b></p>																			
<p><b>ASW.SLA DETAILURGICAL LITERATURE CLASSIFICATION</b></p>																			
<p><b>SECOND ORDER</b></p>										<p><b>THIRD ORDER</b></p>									
<p><b>FOURTH ORDER</b></p>										<p><b>FIFTH ORDER</b></p>									

1ST AND 2ND CODES										3RD AND 4TH CODES									
PROCESSES AND PROPERTIES INDEX																			
<p><b>VOL'KOVICH, S. I.</b></p> <p>The production of soluble phosphates from the Chuvash phosphate rock. S. I. VOL'KOVICH AND A. P. METALNIKOV. <i>Udobrenia i Uvashet (Fertilizers and Crops)</i> 3:61-4(1937). Phosphate rock contg. 21-22% <math>P_2O_5</math> of a high carbonate content and a high sesquioxide content was mixed with soda and heated at temps. up to 1300°. It was found that by using 25 parts of soda to 100 parts of phosphate the optimum temp. was 1000-1100°. At this temp. the coeff. of decompn. (the % <math>P_2O_5</math> sol. in citric acid) was as high as 96%. The mixt. caked and was easily crushed. At higher temps. the mixt. fused and did not break up so easily and the coeff. of decompn. dropped.</p> <p>J. S. Jorva</p>																			
ASB.SLA METALLURGICAL LITERATURE CLASSIFICATION																			
1ST CODE										2ND CODE									
3RD CODE										4TH CODE									

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
1																										2																									
VOLFKOVICH, S. I.																																																			
Utilization of sodium sulfate deposits for manufacturing soda ash and ammonium sulfate. S. I. VOLKOVICH, A. P. BELOPILSKII AND B. A. LEREDY. <i>J. Applied Chem.</i> (U. S. S. R.) 4, 177-82 (1931).—With a view to development of a process represented by the equation $\text{Na}_2\text{SO}_4 + 2\text{NH}_4\text{HCO}_3 \rightarrow (\text{NH}_4)_2\text{SO}_4 + 2\text{NaHCO}_3$ , a study is made of the soly. of the salts involved. A satd. aq. soln. of $\text{NH}_4\text{HCO}_3$ at 15° contains 18.99% of $\text{NH}_4\text{HCO}_3$ , and a satd. aq. soln. of $(\text{NH}_4)_2\text{SO}_4$ at 15° 42.45% of $(\text{NH}_4)_2\text{SO}_4$ . The system: $(\text{NH}_4)_2\text{SO}_4$ , $\text{NH}_4\text{HCO}_3$ , $\text{H}_2\text{O}$ at 15° at the point of mutual satn. contains $\text{NH}_4\text{HCO}_3$ 3.94, $(\text{NH}_4)_2\text{SO}_4$ 39.71. The method and app. used for detn. of soly. are described. J. S.																																																			
A 10-31A METALLURGICAL LITERATURE CLASSIFICATION																																																			
SIGNATURE																																																			
DATE																																																			

1ST AND 2ND DEGREE										3RD AND 4TH DEGREE									
PROCESSES AND PROPERTIES INDEX																			
<p>2 C</p> <p>Preparation of double and of enriched super-phosphates from low-grade phosphorites. S. I. VOLKOVITSKY and L. E. RUSLIN (J. Chem. Ind. Russia, 1931, 8, No. 13, 1-11).—A product containing 37-38% <math>P_2O_5</math> and 1-12% <math>H_2O</math> is obtained by heating phosphorite in a rotating drum for 1-3 hr. at such a temp. that the issuing vapours are at 90-100°.</p> <p>R. TRUBSKOWSKI.</p>																			
<p>ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
1ST DEGREE										2ND DEGREE									
1ST DEGREE										2ND DEGREE									

YOL'F KOVICH, S. I.

Decomposition of Khibin apatite-nephelite ore by sulfuric acid. S. I. VOZNEKOVICH, L. BRILIN, A. VIMOKUROVA AND A. SALOVA. *J. Chem. Ind. (Moscow)* No. 15-16, 1-8 (1931).—The order of decreasing rapidity of decompn. of the minerals in this ore by  $H_2SO_4$  is nephelite, apatite, titanomagnetite and egrite. The amts. of acid used for

mista of these must be the sum of the amts. used to dissolve the individual minerals. When small amts. of egrite are present, however, they may be disregarded. Since the  $SiO_2$  gel formed on decompn. of apatite-nephelite ore by acid tends to cover up the phosphate and prevent acsn., it is best to use strong acid and very finely ground ore. High temps. are no help. The amt. of acid in excess of the theoretical amt. must be detd. empirically. The apatites, in general, decomp. more slowly than other phosphate ores.

H. M. LUKACHENKO

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS										PROCESSES AND PROPERTIES INDEX									
VOLF KOVICE, S.I.										15									
<p>The possibility of the joint use of sulfur dioxide and chlorine in the production of fertilizers. S.I. VOLF KOVICE. J. Chem. Ind. (Moscow) 6, No. 23-24, 26-6(1971)</p> <p>SO<sub>2</sub> and Cl<sub>2</sub> react to give a mixt. of HCl and H<sub>2</sub>SO<sub>4</sub> which may be used to ext. P<sub>2</sub>O<sub>5</sub> or may be converted into a mixt. of the NH<sub>3</sub> salts and used directly as a fertilizer.</p> <p>H. M. LAICESTRA</p>																			
<p>ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>FROM SYMBOLIC</p> <p>CLASSIFIED WITH ONE UNIT</p> <p>COLLECTION</p>																			

ALPHABETIC INDEX																									
A-Z													A-Z												
VOL'KOVICH, S. I.																									
PROCESSING AND PROPERTIES																									
<p>ca</p> <p>15</p> <p>The achievements of the phosphate fertilizer industry and the scientific investigations in the U. S. S. R. for the last 15 years (1917-1932). S. I. Volkovich. <i>Gosudarst. Khimiko-Tekhn. Izdatelstvo</i> (Moscow-Tiflis) 1932, 1-44. V. takes up the progress made in the production of phosphate fertilizers and discusses the theoretical chem. and physicochem. background of the new processes developed. J. S. Joffe</p>																									
<p>ASA-ILA METALLURGICAL LITERATURE CLASSIFICATION</p> <p>62-1-1</p>																									



COMMON ELEMENTS																										RARE EARTH ELEMENTS																										TRANSITION METALS																										NON-METALS																																																																																																																																																																																																																																									
GROUP I																										GROUP II																										GROUP III																										GROUP IV																										GROUP V																										GROUP VI																										GROUP VII																										GROUP VIII																										GROUP IX																										GROUP X																										GROUP XI																										GROUP XII																									
<p><b>VOL'KOVICH, S. I.</b></p> <p>The use of gypsum and phosphogypsum in chemical industry and rural economy.</p> <p>S. I. VOL'KOVICH AND A. A. SOKOLOVSKII. <i>J. Chem. Ind. (Moscow)</i> 1932, No. 15-24. The sources of <math>\text{CaSO}_4</math> in the U. S. S. R. are discussed, and recent Soviet work on its use is reviewed.</p> <p><b>II. M. LUCKSTAR</b></p>																																																																																																																																																																																																																																																																																																																							
<p>ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																																																																																																																																																																																																																																																																																							

VOL'KOVICH, S. I.

Physicochemical investigation of the process for manufacturing ammonium phosphates (ammophos). S. I. VOLKOVICH, L. E. BERLIN AND H. M. MANTERV. *J. Applied Chem. (U. S. S. R.)* 5, 1-14 (1952).—The alk. part of the isotherm  $H_2O-NH_3$ .

$P_2O_5$ - $SO_3$  has been investigated at 25°. Soly. of  $NH_4H_2PO_4$  increases greatly in presence of  $(NH_4)_2HPO_4$ , while that of  $(NH_4)_2HPO_4$  increases only slightly on addn. of  $NH_4H_2PO_4$ . Soly. of  $(NH_4)_2HPO_4$  is lowered about  $\frac{1}{2}$  in the presence of  $(NH_4)_2PO_4 \cdot 3H_2O$ . Soly. of  $(NH_4)_2PO_4 \cdot 3H_2O$  decreases about 4 times in the presence of small quantities of  $(NH_4)_2HPO_4$ , but remains const. on further addns. Soly. of  $NH_4$  phosphates is lowered about  $\frac{1}{2}$  in the presence of  $(NH_4)_2SO_4$ . Soly. of  $(NH_4)_2SO_4$  is lowered somewhat in the presence of  $(NH_4)_2HPO_4$  or  $(NH_4)_2PO_4$ , but first slightly increased and then lowered on adding successive quantities of  $NH_4H_2PO_4$ . The concn. of  $P_2O_5$  at the binary point  $NH_4H_2PO_4$ - $(NH_4)_2HPO_4$  is lowered by 1.6 and at the binary point  $(NH_4)_2HPO_4$ - $3H_2O$ - $(NH_4)_2PO_4$  it is increased by 3 in presence of  $(NH_4)_2SO_4$ . Addn. of  $NH_3$  to satd.  $NH_4H_2PO_4$  soln. first increases greatly the  $P_2O_5$  content of soln. up to the binary point  $(NH_4)_2HPO_4$ - $NH_4H_2PO_4$ , but then lowers it practically to zero when  $NH_3$  concn. is high. A similar effect is observed on adding  $NH_3$  to a soln. of  $(NH_4)_2SO_4$  and  $NH_4H_2PO_4$ . On adding  $NH_3$  to a soln. contg.  $H_2PO_4^-$  or  $H_2PO_4^-$  and  $H_2SO_4$ , the  $(NH_4)_2PO_4 \cdot 3H_2O$  in the ppt. is almost free of sulfate and contains practically all of the  $P_2O_5$  (provided satd.  $P_2O_5$  is not over 4:1). The use of  $(NH_4)_2SO_4$  permits pptn. of not over  $\frac{1}{2}$  of the  $P_2O_5$  in the soln. Double salts contg.  $NH_3$  phosphate and sulfate were not found. V. KALICHEVSKY

VOL'KOVICH, S. I.

Oxidation of sulfites. I. S. I. VOL'KOVICH AND A. P. BALOGHARIL. *J. Applied Chem. (U. S. S. R.)* 5, 300-28 (1933).—Oxidation of  $\text{K}_2\text{SO}_3$  in aq. soln. with  $\text{O}_2$  was studied. At a const. rate of  $\text{O}_2$  flow the increase in  $\text{K}_2\text{SO}_3$  concn. lowers the rate of oxidation. At a const.  $\text{K}_2\text{SO}_3$  concn. the increase in the rate of  $\text{O}_2$  flow increases the rate of oxidation up to a certain max. beyond which a further increase in the rate of  $\text{O}_2$  flow is without effect. At this max. the reaction is monomol. but after 94%  $\text{K}_2\text{SO}_3$  is oxidized the value of the reaction const. falls off. The rate of the reaction approx. doubles by raising the temp. from 0 to 10° at the limiting  $\text{O}_2$  rate. II. *Ibid* 529-51. The reaction is exceedingly slow at high and low  $p_{\text{H}}$  concns. In oxidizing at 0° a 0.373 molar  $\text{K}_2\text{SO}_3$  for 8 min 61% was oxidized when  $p_{\text{H}} = 8.2$ ; 3% at  $p_{\text{H}} = 4.2$ ; none was oxidized at  $p_{\text{H}} = 12$ . The initial  $\text{H}^+$  concn. increases during the reaction if  $p_{\text{H}} > 8$  but remains const. if  $p_{\text{H}} < 8$ . The falling off of the reaction const. when initial  $p_{\text{H}} > 8$  is explained by the accumulation of  $\text{H}^+$ . Oxidation proceeds differently in acid and alk. media.  $\text{CoSO}_4$  is a very effective catalyst. At  $p_{\text{H}} = 7.0$  other catalysts are effective in the following order:  $\text{FeSO}_4$ ,  $\text{CuSO}_4$ ,  $\text{NiSO}_4$ ,  $\text{MnSO}_4$ , inactive. At  $p_{\text{H}} = 9.0$ :  $\text{CuSO}_4$ ,  $\text{NiSO}_4$ ,  $\text{MnSO}_4$ ,  $\text{FeSO}_4$ , inactive. In highly alk. medium:  $\text{NiSO}_4$ ,  $\text{CoSO}_4$ ,  $\text{CuSO}_4$ ,  $\text{FeSO}_4$ , and  $\text{MnSO}_4$ , inactive. III. *Ibid* 532-6. Solid  $\text{K}_2\text{SO}_3$  is not oxidized with dry  $\text{O}_2$  at 25-80°, but the reaction proceeds if  $\text{O}_2$  is moist.  $\text{CaSO}_3$  is not oxidized at 25-110° even when suspended in water. The reaction proceeds, however, in the presence of  $\text{CoSO}_4$ ,  $\text{MnSO}_4$  or  $\text{CuSO}_4$  (alum has very little effect). Y. KATCHEVSKY

ASAC 3LA METALLURGICAL LITERATURE CLASSIFICATION

[illegible]

VAL'EKOVICH, S.I.

PROCESS AND PRODUCT MADE

The production of ammonium sulfate from sulfur dioxide, ammonia and water vapor, and the oxidation of ammonium sulfate. S. I. Volkovich and D. L. Tsirlin. *Izv. Ser. Inst. Fermenty (Moscow)*, No. 92, 78 (1952).—(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> was oxidized to (NH<sub>4</sub>)<sub>2</sub>SO<sub>3</sub>, silica gel being used as catalyst. The optimum temp. was 70°. With Cr<sub>2</sub>O<sub>3</sub>, V<sub>2</sub>O<sub>5</sub>, Se, CuSO<sub>4</sub>, KNO<sub>3</sub> and KCl as catalysts failed. Expts. with the Cottrell app. for the production of a mixt. of NH<sub>3</sub> sulbates and sulfates, using NH<sub>3</sub>, SO<sub>2</sub>, air and H<sub>2</sub>O vapor, proved successful. The dry salt produced in this manner did not oxidize as fast as in soln. J. S. Joffe

**J. S. Joffe**

**ASU.SLA METALLURGICAL LITERATURE CLASSIFICATION**

VOL'KOVICH, S.I.

ca

15

The conversion of Khibin apatite into fertilizers. S. I. Volkovich, et al. *Trans. Sci. Inst. Fertilizers* (U. S. S. R.) No. 95, 3-64(1932).—The authors discuss the manu.: (1) of ordinary acid phosphate from Khibin apatite, (2) of phosphoric acid by acid extn. methods, (3) of concd. fertilizers from the phosphoric acid exts., (4) of thermo-phosphate and (5) of electrothermal volatilization of  $P_2O_5$ . Exptl. data are given. Diagrams, charts, curves and tables illustrate the phases discussed. J. S. Joffe

ASB-55-5 METALLURGICAL LITERATURE CLASSIFICATION

15

ca

VOL'KOVICH, S. I.

An investigation of Khibin apatite as applied to the fertilizer industry. S. I. Volkovich. Trans. Sci. Ind. Fertilisers (U. S. S. R.) No. 96, 3-31(1932).—V. discusses the geology of the apatites in Khibin, the prepn. of the raw material for the manuf. of acid phosphate (methods of sepg. the fractions with a higher  $P_2O_5$  content), and the chem. processes involved in prepn. sol. phosphates—the acid method, the basic-thermal treatment (thermo-phosphate), and thermal volatilization of these phosphates, showing that the nephelinite-apatite may serve also as a K carrier. The efficiency of the new methods is compared with that of the old methods for obtaining available phosphates commercially. — J. S. Joffe

ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION

15

*CA*

VOL' 16H, S-1.

PROCESSES AND PROPERTIES UNDER

An investigation of the problem of the chemical technology of fertilizers. S. I. Voz'nyakov. *Chem. Ind. (Moscow)* 1933, No. 1, 22 G.—A survey of present trends in the fertilizer industry.

II. M. LUKHATSKII

ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION



VOL'KOVICH, S.I.

CP

The nomenclature and classification of fertilizers. S.  
I. Volkovich and N. P. Pestov. J. Chem. Ind. (Moscow)  
1953, No. 10, 17-21. H. M. Leicester

15

ABX-SLA METALLURGICAL LITERATURE CLASSIFICATION

VOLFKOVICH, S.I.

New sources and methods for producing boron compounds. S. I. Volkovich. J. Chem. Ind. (Moscow) 1933, No. 10, 36-7.—Datolite is ignited at 800-850°, then mixed with H<sub>2</sub>SO<sub>4</sub> for 30 min. at 80°. The concd. ext., filtered from CaSO<sub>4</sub>, is boiled with CaCO<sub>3</sub> to remove heavy metals, and further concd. to yield H<sub>2</sub>BO<sub>3</sub>.

H. M. Leicester

18

WOLFSON, S. I.

Gypsum and phosphogypsum. S. I. Wolfson, Trans. Sci. Inst. Fertilizers (Leningrad) No. 101, 5-11 (1933).—A discussion of the methods used in obtaining  $H_2SO_4$ ,  $(NH_4)_2SO_4$  and cement base from native gypsum and gypsum as a by-product of acid phosphate manuf., known as phosphogypsum. J. S. Joffe

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
1ST AND 2ND ORDERS													3RD AND 4TH ORDERS													1ST AND 2ND ORDERS													3RD AND 4TH ORDERS												
<p>VOLOKH, S.I.</p> <p>CA</p> <p>Experiments on the production of sulfur trioxide and cement from phosphogypsum. S. I. Vol'kovich and A. I. Loginova. <i>Trans. Sci. Inst. Fertilizers</i> (U. S. S. R.) No. 101, 113-22(1953).—Phosphogypsum, the residue from acid phosphate manuf., when treated with C at 1150° for 1 hr., gave a yield of 87-94.5% of H<sub>2</sub>SO<sub>4</sub>. Addns. of SO<sub>2</sub> and Fe<sub>2</sub>O<sub>3</sub> as a catalyst increased the rate of decompn. Phosphogypsum gave a higher yield of H<sub>2</sub>SO<sub>4</sub> than native gypsum. The slag obtained could be used in the manuf. of cement, providing the proper addns. of clay are made.</p> <p>J. B. Joffe</p>																																																			
<p>ADN-514 DETAILING LITERATURE CLASSIFICATION</p>																																																			

18

VOL'KOVICH, S. I.

CA

Potassium sulfate and hydrochloric acid. Vsesoyuznyi Nauchnyi Institut po Udobreniyam i ineni professora Samoilova (M. A. Kamenskaya and S. I. Vol'kovich, inventors). Russ. 37,070, June 30, 1934. KCl mixed with metallurgical slag and (or) the slag produced in the manuf. of P is treated with  $\text{SO}_4$  and air.

ASS-56A METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND ORDERS																										120 AND 4TH ORDERS																									
A-Z													0-9													A-Z													0-9												
<p>CA VOL'KOVICH, S.I.</p> <p>PROCESSES AND PROPERTIES</p> <p>Fertilizers. S. I. Vol'kovich, S. S. Dragunov and A. N. Rosnovskaya. <i>Russ.</i> 30, 1931, Nov. 30, 1931. Brown coal, peat, etc., are treated with <math>NH_3</math> under pressure and the uncombined <math>NH_3</math> is neutralized, e. g., with <math>H_2PO_4</math>.</p> <p>ASTM 5.1A METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			
<p>120 AND 4TH ORDERS</p> <p>120 AND 4TH ORDERS</p>																																																			

COMMON ELEMENTS										COMMON VARIABLES INDEX									
<p>EA</p> <p>VOL'KOVICH, S.I.</p> <p>Ammonium phosphates. Nauchn. Institut Udo-            renii i Insektotungaidov (S. I. Vol'kovich, inventor).            Russ. 40,996, Jan. 31, 1935. <del>Kod. 13,247</del>            (preceding abstr.). In the prepa. of <math>NH_4</math> phosphates            from <math>H_2PO_4</math> and <math>NH_4OH</math> (in two stages), the treatment is            carried to pH 2.5-3, pptd. salts of Fe and Al are removed,            the soln. is concd. and <math>NH_3</math> is added until <math>(NH_4)_2HPO_4</math>            is obtained.</p>																			
<p>ASB-316 METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>SECTION 1</p>										<p>SECTION 2</p>									

15

VOLEKOVICH, S. I.

Technical problems of the superphosphate industry of the U. S. S. R. S. I. Volekovich. *Mineral'skiye (do. breniya i Inekhsufungidai (Moscow) 1938, Nov-1, 1938.*

28.—F. discusses the tech. problems in the production of superphosphate. J. S. Jode

AIN-114 METALLURGICAL LITERATURE CLASSIFICATION



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300

301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400

401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600

601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700

701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800

801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900

901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100

1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200

1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300

1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400

1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500

1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600

1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700

1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800

1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900

1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000

2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100

2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200

2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300

2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400

2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500

2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600

2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 26

COMMON ELEMENTS																										PROCESSING AND PROPERTIES INDEX																										COMMON ELEMENTS																									
COMMON ELEMENTS																										PROCESSING AND PROPERTIES INDEX																										COMMON ELEMENTS																									
<p>The preparation of ammonium sulfate-ammonium nitrate mixtures by oxidation of ammonium sulfite with oxides of nitrogen or nitric acid. S. Vol'kovich, A. Dubovitzkii and N. Kryuchkov. <i>J. Chem. Ind. (Moscow)</i> 12, 480-94(1935).—When <math>(\text{NH}_4)_2\text{SO}_3</math> is treated with NO contg. 2.7% <math>\text{NO}_2</math>, slow oxidation occurs until the soln. becomes acid. The temp. then rises sharply, and oxidation is completed. The rate of oxidation is increased by increasing concns. of <math>\text{NO}_2</math> in the gas and of <math>(\text{NH}_4)_2\text{SO}_3</math> in the soln. Both rate and degree of oxidation increase with increased ratio of <math>\text{O}_2</math> to <math>\text{NO}_2</math>. The product contains both <math>(\text{NH}_4)_2\text{SO}_4</math> and <math>\text{NH}_4\text{NO}_3</math> as well as some <math>\text{NH}_4\text{HSO}_4</math>, which must be neutralized by <math>\text{NH}_3</math>. The oxidation can also be performed by adding the sulfite soln. to <math>\text{HNO}_3</math>. To get the fertilizer <math>(\text{NH}_4)_2\text{SO}_4 \cdot 2\text{NH}_4\text{NO}_3</math>, a ratio of <math>\text{HNO}_3</math> to <math>\text{SO}_3</math> of 2.7-3.0 must be used. The optimum temp. for both methods is 42-5°. There is almost no loss of N, but some <math>\text{NH}_3</math> and <math>\text{SO}_2</math> and much NO are evolved during the reaction. These can be recovered and used again.</p> <p>H. M. Leicester</p>																																																																													
<p>ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																																													

BC

13 111-1

Production of concentrated fertilizers from poor phosphates. E. Barran and S. Volynovitch (Chem. Eng. Cong. World Power Conf., 1954, Z11, 14 pp.).-- The manufacture in U.R.S.S. of fertilizers from low-grade phosphorites and apatite-nepheline minerals is discussed, the processes employed being those of mechanical comminution, flotation, treatment with mineral acids, and electrothermal or blast-furnace reduction to P, followed by oxidation and hydration. The production of mixed fertilizers containing P and N and the enriching of metallurgical slags are also described. L. C. M.


15

*Ca*

**VOITKOVICH, S. I.**

Fertilizers. S. I. Voitkovich and I. A. Mirkin. Russ. 30,040, May 31, 1936. Salts of nitrates are treated with acidic carbonaceous substances, such as org. acids, acidic peat or CO<sub>2</sub>.

ASTM A92 METALLURGICAL LITERATURE CLASSIFICATION



COMMON ELEMENTS										COMMON VARIANTS									
MATERIALS INDEX										PROCESSING AND PROPERTIES INDEX									
<p>VOLOSKOVICH, S. I. Cd</p>										<p>The decomposition of phosphate by nitric acid. S. I. Vol'skovich. <i>J. Chem. Ind. (U. S. S. R.)</i> 14, 720 h (1937).—Recent Russian work is reviewed. H. M. Leicester</p>									
<p>ASB-56A METALLURGICAL LITERATURE CLASSIFICATION</p>										<p>6-27-57</p>									
<p>FROM STATION</p>										<p>FROM BOWERY</p>									
<p>10000 100 000 000 000 000 000 000 000 000</p>										<p>10000 100 000 000 000 000 000 000 000 000</p>									

BC

B-III-1

Research work in the fertilizer industry during the second Five-Year Plan, and its perspectives during the third Five-Year Plan. L. I. Volynskiy. (Russ. Acad. Sci. U.S.S.R. *Chem.* 1959, No. 1, 22-23).—A review. *Chem. Abstr.* 54:10000 (1960).

ASB-SCA METALLURGICAL LITERATURE CLASSIFICATION

FROM SYMBLISH 100000 4 100000 MET GNY GNY 00110101 10110101 GNY 101

COMMON ELEMENTS		PROCESSING AND PROPERTIES INDEX	
<p><b>101. FIKOVICH, S. I.</b></p> <p>The decomposition of phosphates with nitric acid. S. I. Vol'fkovich, A. I. Loginova and A. M. Polyak. <i>Bull. Acad. Sci. U. R. S. S., Classe sci. math. nat., Sér. chim.</i> 1938, No. 1, 101-9. (a) Flotation apatite is decompd. with 55% HNO<sub>3</sub> in the presence of 17% soln. of NaNO<sub>2</sub> to ppt. H<sub>2</sub>SiF<sub>6</sub> as Na<sub>2</sub>SiF<sub>6</sub>. The solid residue is sepd. from the soln., washed, and used as an insecticide (contg. 42% of Na<sub>2</sub>SiF<sub>6</sub>). The soln. is pptd. by adding finely powdered CaO in 2 steps: (1) pptn. of phosphates of rare earth elements, which then are sepd. from the soln. and (2) pptn. of CaHPO<sub>4</sub>, which is filtered out, washed and dried. The soln. of Ca(NO<sub>3</sub>)<sub>2</sub> is evapd. down for the prepn. of fertilizer, or treated with (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub> yielding NH<sub>4</sub>NO<sub>3</sub>. (b) Flotation apatite is treated as in (a) (with 55% HNO<sub>3</sub>). The soln. is treated with NH<sub>3</sub> to p<sub>H</sub> 2-2.5 to ppt. rare earth elements, and after sepn. from ppts. it is treated with (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> yielding CaSO<sub>4</sub>·2H<sub>2</sub>O, which is sepd. from the soln. Then the soln. is treated with NH<sub>3</sub> till NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> appears. The hot suspension of the latter is treated with NH<sub>4</sub>NO<sub>3</sub>. The NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> ppt. is filtered out and, without washing, is mixed with KCl, after which the mixt. is granulated. The NH<sub>4</sub>NO<sub>3</sub> soln., contg. 65% of salt, is evapd. down and used for the production of finished product or recycled for salting out of NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub>. A. A. P.</p>		<p>ASB-51A METALLURGICAL LITERATURE CLASSIFICATION</p>	



1ST AND 2ND GROUPS																										3RD AND 4TH GROUPS																									
VOL'KOVICH, S. I.																										PROCESSES AND PROPERTIES INDEX																									
<p>Khilina apatite. S. I. Vol'kovich, M. P. Fivog and L. H. Berlin. <i>Nauch. Tsif. T. Dobrotyem i Iskhodnykh</i> Ya. V. Samoilova 1919-39, 17: 24(1939); <i>Khim. Referat. Zhur.</i> 1940, No. 8, 80. -- The Khilina apatite deposits are described. The deposits contain 2 billion tons of apatite-petroleum minerals. The av. <math>P_2O_5</math> content is approx. 21%. Approx. 1/3 of the deposits contain 30% <math>P_2O_5</math>. The out-put of the mine is 4.2 million tons of ore annually. The enriched flotation apatite concentrate contains 39.2% <math>P_2O_5</math>. Nephelite, a waste product obtained in enriching the apatite, is utilized. The nephelite concentrate contains <math>Al_2O_3</math> up to 20, <math>K_2O</math> 5-8, <math>Na_2O</math> 12-13 and <math>P_2O_5</math> 2.0-2.5%. The output of nephelite is 200,000 tons. The utilization of the apatite-nephelite minerals (in the Ukrop mountains) is a characteristic example of the complex utilization of raw material. Apatite yields P, P and rare earths. <math>Al_2O_3</math>, a mixt. of potash and soda, and cement can be obtained by treating nephelite. The reserves of the apatite beds contain ore bodies high in Tith. Enriching the apatite ore produces a concentrate rich in Tith.</p> <p style="text-align: right;">W. H. Henn</p>																																																			
ASH-51A METALLURGICAL LITERATURE CLASSIFICATION																										FROM SOURCE																									
1ST AND 2ND GROUPS																										3RD AND 4TH GROUPS																									

VOLODKOVICH, S.I.

15

Treating phosphates with nitric acid. S. I. Volodkovich and A. I. Loginova. *Nauka Inst. Udobreniy* 1940, 39, 40-8 (1939); *Akim. Inzhiniring* 1940, No. 8, 87-8; cf. C. A. 35, 4144. In the treatment of natural phosphates with  $\text{HNO}_3$  to produce fertilizers contg. N and P, the main reaction is  $\text{Ca}_3(\text{PO}_4)_2 + 10\text{HNO}_3 = 5\text{Ca}(\text{NO}_3)_2 + 3\text{H}_2\text{PO}_4 + \text{H}_2\text{F}$ . F is sepd. in the form of  $\text{Na}_2\text{SiF}_6$  or  $\text{K}_2\text{SiF}_6$  by adding sol. salts of Na or K to the ext. Compls. of the rare earths of the Ce group are pptd. at the beginning of the process. F and these rare earth compls. are valuable by-products. For subsequent treatment of the ext. the following 2 methods gave best results. (1) Treat the ext. with lime or ground limestone, producing  $\text{K}_2\text{HPO}_4$  in the solid phase and  $\text{Ca}(\text{NO}_3)_2$  in the soln. Filter and evap. A ppt. is obtained contg. 45% of assimilable  $\text{P}_2\text{O}_5$  and  $\text{Ca}(\text{NO}_3)_2$ . The method is simple, but the product is hygroscopic. (2) Sep. the rare earths from the ext., add  $(\text{NH}_4)_3\text{PO}_4$  and  $\text{NH}_3$ .  $\text{CaSO}_4$  seps. in the solid phase and the soln. contains  $(\text{NH}_4)_3\text{PO}_4$  and  $\text{NH}_4\text{NO}_3$ , which can be obtained as a mixt. by filtering and evap. the soln. or separately by utilizing the decrease of the soly. of  $(\text{NH}_4)_3\text{PO}_4$  with the increase of the concn. of  $\text{NH}_4\text{NO}_3$ . This method is the more complex technologically. W. R. Henn

Inst. Insect. Fung. im. Sarnoylov - U-237/49, 8 Apr. 49

ASTM-SL-1 METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND CODERS																										3RD AND 4TH CODERS																									
MATERIALS INDEX																										PROCESSES AND PROPERTIES INDEX																									
VOL'KOVICH, S. I.																										18																									
Potassium, sodium and magnesium salts in the Euro- pean part of the U. S. S. R. S. I. Vol'kovich, J. Chem. Ind. (U. S. S. R.) 10, No. 1, 2 (1970). H. M. L.																																																			
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION																										FROM SOURCE																									
FROM SOURCE																										FROM SOURCE																									

<p>VOL'F KOVICH, S. I.</p> <p>ca</p> <p>18</p> <p>The removal of rare earths from Khibin apatite. S. I. Vol'fovich and A. I. Logunova. <i>J. Chem. Ind. (U.S.S.R.)</i> 16, No. 12, 325 (1970). See C. A. 34, 31977. H. M. Leicester</p>																									
<p>ASB-SLR METALLURGICAL LITERATURE CLASSIFICATION</p>																									